

ALL-RITE

DOCK & DOOR SYSTEMS INC.

For All The "Rite" Loading Dock Solutions

ULTRAFREEZE™

The Ultimate in High Speed Flexible Doors

The self-repairing R-Bac™ UltraFreeze™ door is designed for high traffic cold storage freezer applications where the need for speed is paramount. When fork-truck traffic is high, door speed is important, climate control is critical and safety concerns are at a premium, R-Bac's™ UltraFreeze™ is the solution.



Speed

UltraFreeze™ opens at up to 100 inches per second.

Controls

R-Bac's™ UltraSmart™ Controller is people friendly and extremely intuitive. Control box includes an integrated rotary disconnect standard.

Visibility

Optional 17" X 17" windows available.

Panel Material

Two ply monofilament standard with three ply monofilament and vinyl panels optional. Blue and yellow standard.

Maintenance

The self-repairing UltraFreeze™ is designed to be low maintenance and cycle hundreds of thousands of times.

BacSeal™ Weather Seal

The UltraFreeze™ seal is unmatched. The top header and side frames are sealed tight.

UltraDefrost™ System

UltraDefrost™ system keeps frost off of the door panel.

Wireless Safety System


Eliminate coil cords with R-Bac's™ optional patent pending wireless safety system.



doors are Ultra-Tough, Ultra-Reliable and Ultra-Affordable.

ULTRAFREEZE™

R-BAC 's self-repairing UltraFreeze™ high speed cold storage doors are tough, built to last and engineered to cycle hundreds of thousands of times.



BacFlap™ Auto-Reset System

When impacted the door panel will automatically reset itself. BacFlaps™ insure against panel tearing.




BacLight™ Safety System (Optional)

R-Bac's™ exclusive safety light barrier projects a curtain of light six feet tall across both sides of the door panel to prevent injuries.

UltraSmart™ Controller

UltraSmart™ walks you through problems on the control screen. Modular components minimize cost and improve reliability.



Patent Pending Modular Design

The R-Bac patent pending extrusion design allows for easy maintenance and repair in the field.



BacOut™ Safety System (Optional)

Counter-Balance design allows the door to be manually raised in the event of a power failure. No manual cranks in the event of an emergency. *Availability depends on door size.*

BacTrack™ Soft Bottom Bar (Optional)

Fully padded safety bottom bar. Automatically resets after impact. Self-repairing.



UltraDefrost™ System (Optional)

Optional Light and Blower systems help to keep frost off of the door panel. Door size limitations on Blower and IR Heat Light packages.

BacSeal™ Weather Seal

Double seal on the back spreader bar and double seal on the front extrusions. When the door is down, the panel is sealed.

Wireless Safety System (Optional)

Cut your cord with R-Bac's™ patent pending Wireless Safety System and eliminate costly repairs and downtime associated with coil cords.

R-BAC doors are Ultra-Tough, Ultra-Reliable and Ultra-Affordable.